

AHTS 60M DP-1 - VOS APOLLO (3057)



GENERAL		COMMUNICATIONS EQUIPMENT	
Place of Build	Fujian South East Shipyard, China	HF Radio	Furuno RC-1500-1T 400W
Vessel Type	AHTS	VHF Radio	2 x Furuno
Year Built	2011	Portable VHF Radio's	3 x Furuno
Flag	Gibraltar	Satellite Communications (Voice and Fax)	Furuno SAT C
Call Sign	9V8667	E.P.I.R.B	McMurdo 406
Class	RINA	GMDSS Compliance	Area A3
Class Notation	C* tug; supply vessel, anchor handling, rescue (X, Y), special service, multipurpose ship, fire-fighting ship – 1 – water-spraying unrestricted navigation, 1446, efficient ship DYNAPOS AM - SPS		
PRINCIPAL DIMENSIONS		NAVIGATION EQUIPMENT	
Length Overall	59.25 m	Radar No. 1	Furuno X-band (21" screen)
Beam	14.95 m	Radar No. 2	Furuno X-band (15" screen)
Maximum Draft	4.95 m	GPS	GP 150
Net Registered Tonnage	503 t	Echo Sounder	Furuno FE 702
Gross Registered Tonnage	1678 t	Navtex	NX 700
MACHINERY & PROPULSION		Auto Pilot	Nautopilot NP 60
Main Propulsion Number	2	Gyro Compass	Anschutz STD 22
Main Propulsion Type	CAT 3516B Diesel	DP System	Kongsberg
Total BHP	5150	Reference System 1	
Propellers	2 x CPP in Fixed Kort Nozzles	Reference System 2	DGPS DPS 112
Bow Thruster	1 x Kawasaki KT-72B3 - 515 kW	DECK MACHINERY	
	8 t	Tugger Winch	2 x 10 t @ 15 m/min
Stern Thruster	1 x Kawasaki KT-55B3 - 390 kW	Capstan	2 x 5 t @ 15 m/min
	6 t	Deck Crane	1 x 3 t @ 9 m
Main Generators	2 x CAT C18 350 kW	TOWING & ANCHOR HANDLING	
Shaft Generators	2 x 800 kW	Bollard Pull	65.3 t
Emergency Generators	1 x CAT 65 kW	Winch	Plimsoll Waterfall Type
Rudders	Standard	Line Pull	150 t
PERFORMANCES		Brake Capacity	200 t
Fuel consumption @ 12 Knots	About 11.5 MT per day	Anchor Handling Wire and Towing Wire	100 m and 1000 m x 56 mm
Fuel consumption @ 10 Knots	About 8 MT per day	Anchor Handling Wire Capacity	100 m x 56 mm
Fuel consumption @ 8 Knots	About 6 MT per day	Tow Drum Capacity	1000 m x 56 mm
Fuel consumption in port	About 0.5 MT per day	Spare Tow Wire Capacity	1000 m x 56 mm
Fuel consumption in DP mode	About 6 MT per day	Stern Roller	4.0 m x 1.6 m - SWL 200 t
Fuel Type	ISO 8217: 2005 DMA - Marine diesel oil	Tow Pins	2 x Closed Top Type SWL 200 t
CARGO CAPABILITIES		Shark Jaws	Shark Jaws - SWL 200 t
Fresh Water	360 m ³ @ 100 m ³ per hr at 75 m head	LIFE SAVING APPARATUS	
Drill Water	253 m ³ @ 100 m ³ per hr at 75 m head	Life rafts	Total : 6 = capacity 150 men
Fuel Capacity (100%)	535 m ³ @ 150 m ³ per hr at 75 m head	Rescue Boat	25 HP OBM, capacity 6 men
Liquid Mud	378 m ³ @ 70 m ³ per hr	EXTERNAL FIRE FIGHTING	
Dry Bulk	4 x 1650 cu ft each, total 6,600 cu ft	Capacity	FIFI 1 - 2400 cu m per hr
Dead Weight	1360 t	Monitor	2 x 1200 cu m per hr
Clear Deck Area	350 m ²	Throw x Height	120 m x 50 m
Deck Cargo	500 t		
ACCOMMODATION			
Crew	13		
Special personnel seats	47		
Special personnel bunks	27		
Hospital	yes		

This technical specification sheet is subject to change without notice. Whilst every effort has been made to ensure the accuracy of the information presented. No guarantees of accuracy can be given. For enquires, kindly email us at chartering@it.vroonoffshore.com