



GENERAL

Survivor Class	Group 'A' (>300 Survivors)
Place of Build	Fiskerstrand, Norway
Vessel Type	Purpose Built ERRV
Year Built/Converted	Purpose Built in 1982
Port of Registry	Montrose
Flag	British
Call Sign	GJBL
Class	Det Norske Veritas +100 A1

PRINCIPAL DIMENSIONS

Length Overall	46.80 Metres
Beam	11.00 Metres
Summer Draft	6.7 Metres
Net Registered Tonnage	202
Gross Registered Tonnage	673
Freeboard at Rescue Zone	0.8 Metres

MACHINERY & PROPULSION

Main Propulsion Number	2
Main Propulsion Power Source	2x Caterpillar D399 Marine Diesels
Main Propulsion Type	Schottel Azimuthing Thrusters
Total BHP	2,220
Rudders	Azimuths only

PERFORMANCES

Fuel Consumption at Max Speed	Approx. 6.2 tonnes per day @ 10 knots
Fuel Consumption at Economic Speed	Approx. 4.8 tonnes per day @ 8 knots
Fuel Consumption in standby mode	Approx. 0.9 tonnes per day

ADDITIONAL CAPABILITIES

Water Capacity	89 m ³
Fuel Capacity	195 m ³
Dispersant Booms	2 x Warren Springs
Dispersant Pumping System	OSM 2 SW Electric Pump
Dispersant Capacity	5.00 Tonnes
Dispersant Type	Superdispersant 25 (Type 2/3) 5 Tonnes
Bollard Pull	Approx 30 Tonnes
Towing Arrangements	Towing Winch

ACCOMMODATION

Crew Accommodation	7 Single Cabins - 4 Double Cabins
Total Crew Accommodation Capacity	15 Berths
Number of Seats (Survivors)	94
Number of Bunks (Survivors)	20

COMMUNICATIONS EQUIPMENT

MF radio	Yes
VHF Radio	Yes
Portable VHF Radio's	Yes
Broadband	Yes
Satellite Communications (Voice and Fax)	Yes
E-mail	Yes
Mobile Phone	Yes
E.P.I.R.B	Yes
S.A.R.T (No. and Type)	1
Hospital Communications	Yes
Bridge Alarms	Yes
GMDSS Compliance	Yes

NAVIGATION EQUIPMENT

Radar No. 1	Yes
Radar No. 2	Yes
GPS Navigator	Yes
Echo Sounder	Yes
Navtex	Yes
VHF Direction Finder	Yes
Gyro Compass	Yes
Automatic Pilot	Yes
AIS	Yes

SURVIVOR RECOVERY/RESCUE EQUIPMENT

Rescue Craft No 1 Type	15 man - Halmatic Arctic 22
Davit No 1 Type	Veste A-Frame Davit
Davit No 1 Safe Working Load	2.7 Metric Tonnes
Davit No 1 Secondary Lift	Diesel/Hydraulic
Rescue Craft No 2 Type	15 man - Halmatic Arctic 22
Davit No 2 Type	Veste Pc3600 Davit
Davit No 2 Safe Working Load (SWL)	2.7 Metric Tonnes
Davit No 2 Secondary Lift	Diesel/Hydraulic
Additional Rescue Craft	15 man - Avon Searider

ADDITIONAL RESCUE/RECOVERY FACILITIES

Mechanical Recovery Type	Sealift Hydraulic Basket (20 Man)
Overside Rescue Zones Size	2 x 5 Metres
Rescue Basket	Cosalt Type 6 man
Emergency Helicopter Winching Area	Forward Fore Deck
Searchlights	3 x Manual on Bridge Top
Fire Monitors - Number	2 x Spray Jet
Fire Monitor Throw	60 Metres
Monitors Total Capacity	130m ³ at 8 bar
Vessel Self Drenching Capacity	210 m ³ /hr

This technical specification sheet is subject to change without notice. Whilst every effort has been made to ensure that accuracy of the information represented within this document, no guarantees of accuracy can be given.